```
<DebuggerStepThrough> _
Private Sub InitializeComponent()
    Me.components = New Container
    Me.TextBox1 = New TextBox
    Me.Label1 = New Label
    Me.Label2 = New Label
    Me.TextBox2 = New TextBox
    Me.Label3 = New Label
    Me.TextBox3 = New TextBox
    Me.Label4 = New Label
    Me.TextBox4 = New TextBox
    Me.Label5 = New Label
    Me.TextBox5 = New TextBox
    Me.Label6 = New Label
    Me.TextBox6 = New TextBox
    Me.Label7 = New Label
    Me.TextBox7 = New TextBox
    Me.Label8 = New Label
    Me.TextBox8 = New TextBox
    Me.Label9 = New Label
    Me.TextBox9 = New TextBox
    Me.Label10 = New Label
    Me.Label11 = New Label
    Me.TextBox11 = New TextBox
    Me.Label12 = New Label
    Me.TextBox12 = New TextBox
    Me.Timer1 = New Timer(Me.components)
    Me.Timer2 = New Timer(Me.components)
    Me.Label14 = New Label
    Me.Label15 = New Label
    Me.Label16 = New Label
    Me.TextBox13 = New TextBox
    Me.Label17 = New Label
    Me.TextBox14 = New TextBox
    Me.Label18 = New Label
    Me.TextBox15 = New TextBox
    Me.Label13 = New Label
    Me.TextBox16 = New TextBox
    Me.Label19 = New Label
    Me.TextBox17 = New TextBox
    Me.Label20 = New Label
    Me.TextBox18 = New TextBox
    Me.Label21 = New Label
    Me.TextBox19 = New TextBox
    Me.CheckBox1 = New CheckBox
    Me.Timer3 = New Timer(Me.components)
    Me.Timer4 = New Timer(Me.components)
    Me.Timer5 = New Timer(Me.components)
    Me.Timer6 = New Timer(Me.components)
    Me.Timer7 = New Timer(Me.components)
    Me.Timer8 = New Timer(Me.components)
    Me.TextBox10 = New TextBox
    Me.Label22 = New Label
    Me.Label23 = New Label
    Me.TextBox20 = New TextBox
    Me.Label24 = New Label
    Me.TextBox21 = New TextBox
    Me.Label25 = New Label
    Me.TextBox22 = New TextBox
    Me.Timer9 = New Timer(Me.components)
```

```
Me.Timer10 = New Timer(Me.components)
Me.GroupBox1 = New GroupBox
Me.GroupBox2 = New GroupBox
Me.GroupBox3 = New GroupBox
Me.GroupBox4 = New GroupBox
Me.GroupBox5 = New GroupBox
Me.GroupBox6 = New GroupBox
Me.Label26 = New Label
Me.Label27 = New Label
Me.Label28 = New Label
Me.Label30 = New Label
Me.Timer11 = New Timer(Me.components)
Me.Timer12 = New Timer(Me.components)
Me.Timer13 = New Timer(Me.components)
Me.Timer14 = New Timer(Me.components)
Me.TextBox23 = New TextBox
Me.TextBox24 = New TextBox
Me.TextBox25 = New TextBox
Me.TextBox26 = New TextBox
Me.Timer15 = New Timer(Me.components)
Me.Label29 = New Label
Me.Timer16 = New Timer(Me.components)
Me.GroupBox1.SuspendLayout
Me.GroupBox2.SuspendLayout
Me.GroupBox3.SuspendLayout
Me.GroupBox4.SuspendLayout
Me.GroupBox5.SuspendLayout
Me.GroupBox6.SuspendLayout
Me.SuspendLayout
Dim VB$t_struct$S0 As New Point(100, 12)
Me.TextBox1.Location = VB$t_struct$S0
Me.TextBox1.Name = "TextBox1"
Dim VB$t_struct$S1 As New Size(&H9F, 20)
Me.TextBox1.Size = VB$t_struct$S1
Me.TextBox1.TabIndex = 0
Me.Label1.AutoSize = True
Me.Label1.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(6, 15)
Me.Label1.Location = VB$t_struct$S0
Me.Label1.Name = "Label1"
VB$t_struct$S1 = New Size(&H57, 13)
Me.Label1.Size = VB$t_struct$S1
Me.Label1.TabIndex = 1
Me.Label1.Text = "TB1 - INBOX1"
Me.Label2.AutoSize = True
Me.Label2.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
Me.Label2.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(6, &H11)
Me.Label2.Location = VB$t_struct$S0
Me.Label2.Name = "Label2"
VB$t_struct$S1 = New Size(&H54, 13)
Me.Label2.Size = VB$t_struct$S1
Me.Label2.TabIndex = 3
Me.Label2.Text = "TB2 - SPLIT1"
Me.TextBox2.CharacterCasing = CharacterCasing.Upper
VB$t_struct$S0 = New Point(100, 14)
Me.TextBox2.Location = VB$t_struct$S0
Me.TextBox2.Name = "TextBox2"
VB$t_struct$S1 = New Size(&H70, 20)
Me.TextBox2.Size = VB$t_struct$S1
```

```
Me.TextBox2.TabIndex = 2
Me.Label3.AutoSize = True
Me.Label3.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
Me.Label3.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(6, 40)
Me.Label3.Location = VB$t_struct$S0
Me.Label3.Name = "Label3"
VB$t_struct$S1 = New Size(&H54, 13)
Me.Label3.Size = VB$t_struct$S1
Me.Label3.TabIndex = 5
Me.Label3.Text = "TB3 - SPLIT2"
VB$t_struct$S0 = New Point(100, &H24)
Me.TextBox3.Location = VB$t_struct$S0
Me.TextBox3.Name = "TextBox3"
VB$t_struct$S1 = New Size(&H70, 20)
Me.TextBox3.Size = VB$t_struct$S1
Me.TextBox3.TabIndex = 4
Me.Label4.AutoSize = True
Me.Label4.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
Me.Label4.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(6, &H3E)
Me.Label4.Location = VB$t_struct$S0
Me.Label4.Name = "Label4"
VB$t_struct$S1 = New Size(&H54, 13)
Me.Label4.Size = VB$t_struct$S1
Me.Label4.TabIndex = 7
Me.Label4.Text = "TB4 - SPLIT3"
VB$t_struct$S0 = New Point(100, &H3B)
Me.TextBox4.Location = VB$t_struct$S0
Me.TextBox4.Name = "TextBox4"
VB$t_struct$S1 = New Size(&H70, 20)
Me.TextBox4.Size = VB$t_struct$S1
Me.TextBox4.TabIndex = 6
Me.Label5.AutoSize = True
Me.Label5.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
Me.Label5.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(6, &H55)
Me.Label5.Location = VB$t_struct$S0
Me.Label5.Name = "Label5"
VB$t_struct$S1 = New Size(&H54, 13)
Me.Label5.Size = VB$t_struct$S1
Me.Label5.TabIndex = 9
Me.Label5.Text = "TB5 - SPLIT4"
VB$t_struct$S0 = New Point(100, &H52)
Me.TextBox5.Location = VB$t_struct$S0
Me.TextBox5.Name = "TextBox5"
VB$t_struct$S1 = New Size(&H70, 20)
Me.TextBox5.Size = VB$t_struct$S1
Me.TextBox5.TabIndex = 8
Me.Label6.AutoSize = True
VB$t_struct$S0 = New Point(7, 12)
Me.Label6.Location = VB$t_struct$S0
Me.Label6.Name = "Label6"
VB$t_struct$S1 = New Size(30, 13)
Me.Label6.Size = VB$t_struct$S1
Me.Label6.TabIndex = 11
Me.Label6.Text = "TB6 "
VB$t_struct$S0 = New Point(&H71, 9)
Me.TextBox6.Location = VB$t_struct$S0
Me.TextBox6.Name = "TextBox6"
```

```
VB$t_struct$S1 = New Size(&H48, 20)
Me.TextBox6.Size = VB$t_struct$S1
Me.TextBox6.TabIndex = 10
Me.Label7.AutoSize = True
VB$t_struct$S0 = New Point(7, &H22)
Me.Label7.Location = VB$t_struct$S0
Me.Label7.Name = "Label7"
VB$t_struct$S1 = New Size(&H1B, 13)
Me.Label7.Size = VB$t_struct$S1
Me.Label7.TabIndex = 13
Me.Label7.Text = "TB7"
VB$t_struct$S0 = New Point(&H71, &H1F)
Me.TextBox7.Location = VB$t_struct$S0
Me.TextBox7.Name = "TextBox7"
VB$t_struct$S1 = New Size(&H48, 20)
Me.TextBox7.Size = VB$t_struct$S1
Me.TextBox7.TabIndex = 12
Me.Label8.AutoSize = True
VB$t_struct$S0 = New Point(7, &H37)
Me.Label8.Location = VB$t_struct$S0
Me.Label8.Name = "Label8"
VB$t_struct$S1 = New Size(&H1B, 13)
Me.Label8.Size = VB$t_struct$S1
Me.Label8.TabIndex = 15
Me.Label8.Text = "TB8"
VB$t_struct$S0 = New Point(&H71, &H34)
Me.TextBox8.Location = VB$t_struct$S0
Me.TextBox8.Name = "TextBox8"
VB$t_struct$S1 = New Size(&H48, 20)
Me.TextBox8.Size = VB$t_struct$S1
Me.TextBox8.TabIndex = 14
Me.Label9.AutoSize = True
VB$t_struct$S0 = New Point(7, &H4C)
Me.Label9.Location = VB$t_struct$S0
Me.Label9.Name = "Label9"
VB$t_struct$S1 = New Size(&H1B, 13)
Me.Label9.Size = VB$t_struct$S1
Me.Label9.TabIndex = &H11
Me.Label9.Text = "TB9"
VB$t_struct$S0 = New Point(&H71, &H49)
Me.TextBox9.Location = VB$t_struct$S0
Me.TextBox9.Name = "TextBox9"
VB$t_struct$S1 = New Size(&H48, 20)
Me.TextBox9.Size = VB$t_struct$S1
Me.TextBox9.TabIndex = &H10
Me.Label10.AutoSize = True
VB$t_struct$S0 = New Point(&H149, &H170)
Me.Label10.Location = VB$t_struct$S0
Me.Label10.Name = "Label10"
VB$t_struct$S1 = New Size(&H22, 13)
Me.Label10.Size = VB$t_struct$S1
Me.Label10.TabIndex = &H13
Me.Label10.Text = "NOW"
Me.Label11.AutoSize = True
Me.Label11.ForeColor = Color.Green
VB$t_struct$S0 = New Point(4, &H20)
Me.Label11.Location = VB$t_struct$S0
Me.Label11.Name = "Label11"
VB$t_struct$S1 = New Size(&H60, 13)
Me.Label11.Size = VB$t_struct$S1
```

```
Me.Label11.TabIndex = &H15
Me.Label11.Text = "TB11 - MY dir path"
VB$t_struct$S0 = New Point(&H89, &H1D)
Me.TextBox11.Location = VB$t_struct$S0
Me.TextBox11.Name = "TextBox11"
Me.TextBox11.ReadOnly = True
VB$t_struct$S1 = New Size(100, 20)
Me.TextBox11.Size = VB$t_struct$S1
Me.TextBox11.TabIndex = 20
Me.Label12.AutoSize = True
Me.Label12.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(6, &H12)
Me.Label12.Location = VB$t_struct$S0
Me.Label12.Name = "Label12"
VB$t_struct$S1 = New Size(100, 13)
Me.Label12.Size = VB$t_struct$S1
Me.Label12.TabIndex = &H17
Me.Label12.Text = "TB12 - OUTBOX"
VB$t_struct$S0 = New Point(&H70, 15)
Me.TextBox12.Location = VB$t_struct$S0
Me.TextBox12.Multiline = True
Me.TextBox12.Name = "TextBox12"
VB$t_struct$S1 = New Size(&H7D, &H48)
Me.TextBox12.Size = VB$t_struct$S1
Me.TextBox12.TabIndex = &H16
Me.Timer1.Interval = 300
Me.Label14.AutoSize = True
VB$t_struct$S0 = New Point(&HD5, 14)
Me.Label14.Location = VB$t_struct$S0
Me.Label14.Name = "Label14"
VB$t_struct$S1 = New Size(&H2E, 13)
Me.Label14.Size = VB$t_struct$S1
Me.Label14.TabIndex = &H19
Me.Label14.Text = "Perintah"
Me.Label15.AutoSize = True
VB$t_struct$S0 = New Point(&HD6, &H24)
Me.Label15.Location = VB$t_struct$S0
Me.Label15.Name = "Label15"
VB$t_struct$S1 = New Size(&H2B, 13)
Me.Label15.Size = VB$t_struct$S1
Me.Label15.TabIndex = &H1A
Me.Label15.Text = "Kode rs"
Me.Label16.AutoSize = True
Me.Label16.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(4, &H35)
Me.Label16.Location = VB$t_struct$S0
Me.Label16.Name = "Label16"
VB$t_struct$S1 = New Size(&H63, 13)
Me.Label16.Size = VB$t_struct$S1
Me.Label16.TabIndex = &H1C
Me.Label16.Text = "TB13 - COPY DIR1"
VB$t_struct$S0 = New Point(&H89, 50)
Me.TextBox13.Location = VB$t_struct$S0
Me.TextBox13.Name = "TextBox13"
VB$t_struct$S1 = New Size(100, 20)
Me.TextBox13.Size = VB$t_struct$S1
Me.TextBox13.TabIndex = &H1B
Me.Label17.AutoSize = True
Me.Label17.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(4, &H49)
```

```
Me.Label17.Location = VB$t_struct$S0
Me.Label17.Name = "Label17"
VB$t_struct$S1 = New Size(&H63, 13)
Me.Label17.Size = VB$t_struct$S1
Me.Label17.TabIndex = 30
Me.Label17.Text = "TB14 - COPY DIR2"
VB$t_struct$S0 = New Point(&H89, 70)
Me.TextBox14.Location = VB$t_struct$S0
Me.TextBox14.Name = "TextBox14"
VB$t_struct$S1 = New Size(100, 20)
Me.TextBox14.Size = VB$t_struct$S1
Me.TextBox14.TabIndex = &H1D
Me.Label18.AutoSize = True
Me.Label18.ForeColor = Color.Green
VB$t_struct$S0 = New Point(4, 12)
Me.Label18.Location = VB$t_struct$S0
Me.Label18.Name = "Label18"
VB$t_struct$S1 = New Size(&H85, 13)
Me.Label18.Size = VB$t_struct$S1
Me.Label18.TabIndex = &H20
Me.Label18.Text = "TB15 - MY assembly name"
VB$t_struct$S0 = New Point(&H89, 9)
Me.TextBox15.Location = VB$t_struct$S0
Me.TextBox15.Name = "TextBox15"
Me.TextBox15.ReadOnly = True
VB$t_struct$S1 = New Size(100, 20)
Me.TextBox15.Size = VB$t_struct$S1
Me.TextBox15.TabIndex = &H1F
Me.Label13.AutoSize = True
Me.Label13.ForeColor = Color.Blue
VB$t_struct$S0 = New Point(4, &H5E)
Me.Label13.Location = VB$t_struct$S0
Me.Label13.Name = "Label13"
VB$t_struct$S1 = New Size(&H63, 13)
Me.Label13.Size = VB$t_struct$S1
Me.Label13.TabIndex = &H22
Me.Label13.Text = "TB16 - COPY DIR3"
VB$t_struct$S0 = New Point(&H89, &H5B)
Me.TextBox16.Location = VB$t_struct$S0
Me.TextBox16.Name = "TextBox16"
VB$t_struct$S1 = New Size(100, 20)
Me.TextBox16.Size = VB$t_struct$S1
Me.TextBox16.TabIndex = &H21
Me.Label19.AutoSize = True
VB$t_struct$S0 = New Point(7, &H10)
Me.Label19.Location = VB$t_struct$S0
Me.Label19.Name = "Label19"
VB$t_struct$S1 = New Size(&H89, 13)
Me.Label19.Size = VB$t_struct$S1
Me.Label19.TabIndex = &H24
Me.Label19.Text = "TB17 - PENGIRIM INBOX1"
Me.TextBox17.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(150, &H10)
Me.TextBox17.Location = VB$t_struct$S0
Me.TextBox17.Name = "TextBox17"
VB$t_struct$S1 = New Size(&H6D, 20)
Me.TextBox17.Size = VB$t_struct$S1
Me.TextBox17.TabIndex = &H23
Me.TextBox17.Text = "+6285729526960"
Me.Label20.AutoSize = True
```

```
VB$t_struct$S0 = New Point(7, &H2A)
Me.Label20.Location = VB$t_struct$S0
Me.Label20.Name = "Label20"
VB$t_struct$S1 = New Size(&H89, 13)
Me.Label20.Size = VB$t_struct$S1
Me.Label20.TabIndex = &H26
Me.Label20.Text = "TB18 - PENGIRIM INBOX2"
VB$t_struct$S0 = New Point(150, &H27)
Me.TextBox18.Location = VB$t_struct$S0
Me.TextBox18.Name = "TextBox18"
VB$t_struct$S1 = New Size(&H6D, 20)
Me.TextBox18.Size = VB$t_struct$S1
Me.TextBox18.TabIndex = &H25
Me.TextBox18.Text = "+6285601081623"
Me.Label21.AutoSize = True
VB$t_struct$S0 = New Point(7, &H42)
Me.Label21.Location = VB$t_struct$S0
Me.Label21.Name = "Label21"
VB$t_struct$S1 = New Size(&H86, 13)
Me.Label21.Size = VB$t_struct$S1
Me.Label21.TabIndex = 40
Me.Label21.Text = "TB19- PENGIRIM INBOX3"
VB$t_struct$S0 = New Point(150, &H3F)
Me.TextBox19.Location = VB$t_struct$S0
Me.TextBox19.Name = "TextBox19"
VB$t_struct$S1 = New Size(&H6D, 20)
Me.TextBox19.Size = VB$t_struct$S1
Me.TextBox19.TabIndex = &H27
Me.TextBox19.Text = "+6285726411088"
Me.CheckBox1.AutoSize = True
Me.CheckBox1.Checked = True
Me.CheckBox1.CheckState = CheckState.Checked
VB$t_struct$S0 = New Point(5, &H16D)
Me.CheckBox1.Location = VB$t_struct$S0
Me.CheckBox1.Name = "CheckBox1"
VB$t_struct$S1 = New Size(50, &H11)
Me.CheckBox1.Size = VB$t_struct$S1
Me.CheckBox1.TabIndex = &H29
Me.CheckBox1.Text = "Lock"
Me.CheckBox1.UseVisualStyleBackColor = True
VB$t_struct$S0 = New Point(100, &H20)
Me.TextBox10.Location = VB$t_struct$S0
Me.TextBox10.Name = "TextBox10"
VB$t_struct$S1 = New Size(&H9F, 20)
Me.TextBox10.Size = VB$t_struct$S1
Me.TextBox10.TabIndex = &H12
Me.Label22.AutoSize = True
Me.Label22.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(6, &H23)
Me.Label22.Location = VB$t_struct$S0
Me.Label22.Name = "Label22"
VB$t_struct$S1 = New Size(&H5E, 13)
Me.Label22.Size = VB$t_struct$S1
Me.Label22.TabIndex = &H2A
Me.Label22.Text = "TB10 - INBOX2"
Me.Label23.AutoSize = True
VB$t_struct$S0 = New Point(7, &H59)
Me.Label23.Location = VB$t_struct$S0
Me.Label23.Name = "Label23"
VB$t_struct$S1 = New Size(&H86, 13)
```

```
Me.Label23.Size = VB$t_struct$S1
Me.Label23.TabIndex = &H2C
Me.Label23.Text = "TB20- PENGIRIM INBOX4"
VB$t_struct$S0 = New Point(150, &H56)
Me.TextBox20.Location = VB$t_struct$S0
Me.TextBox20.Name = "TextBox20"
VB$t_struct$S1 = New Size(&H6D, 20)
Me.TextBox20.Size = VB$t_struct$S1
Me.TextBox20.TabIndex = &H2B
Me.TextBox20.Text = "+6285821112645"
Me.Label24.AutoSize = True
Me.Label24.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(6, &H36)
Me.Label24.Location = VB$t_struct$S0
Me.Label24.Name = "Label24"
VB$t_struct$S1 = New Size(&H5E, 13)
Me.Label24.Size = VB$t_struct$S1
Me.Label24.TabIndex = &H2E
Me.Label24.Text = "TB21 - INBOX3"
VB$t_struct$S0 = New Point(100, &H33)
Me.TextBox21.Location = VB$t_struct$S0
Me.TextBox21.Name = "TextBox21"
VB$t_struct$S1 = New Size(&H9F, 20)
Me.TextBox21.Size = VB$t_struct$S1
Me.TextBox21.TabIndex = &H2D
Me.Label25.AutoSize = True
Me.Label25.Font = New Font("Microsoft Sans Serif", 8.25!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(6, &H4A)
Me.Label25.Location = VB$t_struct$S0
Me.Label25.Name = "Label25"
VB$t_struct$S1 = New Size(&H5E, 13)
Me.Label25.Size = VB$t_struct$S1
Me.Label25.TabIndex = &H30
Me.Label25.Text = "TB22 - INBOX4"
VB$t_struct$S0 = New Point(100, &H47)
Me.TextBox22.Location = VB$t_struct$S0
Me.TextBox22.Name = "TextBox22"
VB$t_struct$S1 = New Size(&H9F, 20)
Me.TextBox22.Size = VB$t_struct$S1
Me.TextBox22.TabIndex = &H2F
Me.GroupBox1.BackColor = Color.FromArgb(&HFF, &HE0, &HC0)
Me.GroupBox1.Controls.Add(Me.TextBox19)
Me.GroupBox1.Controls.Add(Me.TextBox17)
Me.GroupBox1.Controls.Add(Me.Label19)
Me.GroupBox1.Controls.Add(Me.TextBox18)
Me.GroupBox1.Controls.Add(Me.Label20)
Me.GroupBox1.Controls.Add(Me.Label23)
Me.GroupBox1.Controls.Add(Me.Label21)
Me.GroupBox1.Controls.Add(Me.TextBox20)
VB$t_struct$S0 = New Point(5, 4)
Me.GroupBox1.Location = VB$t_struct$S0
Me.GroupBox1.Name = "GroupBox1"
VB$t_struct$S1 = New Size(&H106, &H6F)
Me.GroupBox1.Size = VB$t_struct$S1
Me.GroupBox1.TabIndex = &H31
Me.GroupBox1.TabStop = False
Me.GroupBox1.Text = "Pengirim/ AutoSave"
Me.GroupBox2.BackColor = Color.FromArgb(&HFF, &HC0, &H80)
Me.GroupBox2.Controls.Add(Me.TextBox21)
Me.GroupBox2.Controls.Add(Me.TextBox1)
```

```
Me.GroupBox2.Controls.Add(Me.Label25)
Me.GroupBox2.Controls.Add(Me.Label1)
Me.GroupBox2.Controls.Add(Me.TextBox22)
Me.GroupBox2.Controls.Add(Me.TextBox10)
Me.GroupBox2.Controls.Add(Me.Label24)
Me.GroupBox2.Controls.Add(Me.Label22)
VB$t_struct$S0 = New Point(5, &H8A)
Me.GroupBox2.Location = VB$t_struct$S0
Me.GroupBox2.Name = "GroupBox2"
VB$t_struct$S1 = New Size(&H106, &H60)
Me.GroupBox2.Size = VB$t_struct$S1
Me.GroupBox2.TabIndex = 50
Me.GroupBox2.TabStop = False
Me.GroupBox2.Text = "Inbox"
Me.GroupBox3.BackColor = Color.FromArgb(&HFF, &HFF, &H80)
Me.GroupBox3.Controls.Add(Me.TextBox4)
Me.GroupBox3.Controls.Add(Me.TextBox2)
Me.GroupBox3.Controls.Add(Me.Label2)
Me.GroupBox3.Controls.Add(Me.TextBox3)
Me.GroupBox3.Controls.Add(Me.Label3)
Me.GroupBox3.Controls.Add(Me.Label4)
Me.GroupBox3.Controls.Add(Me.TextBox5)
Me.GroupBox3.Controls.Add(Me.Label5)
Me.GroupBox3.Controls.Add(Me.Label14)
Me.GroupBox3.Controls.Add(Me.Label15)
VB$t_struct$S0 = New Point(5, &HFD)
Me.GroupBox3.Location = VB$t_struct$S0
Me.GroupBox3.Name = "GroupBox3"
VB$t_struct$S1 = New Size(&H106, &H6C)
Me.GroupBox3.Size = VB$t_struct$S1
Me.GroupBox3.TabIndex = &H33
Me.GroupBox3.TabStop = False
Me.GroupBox3.Text = "Split Pesan/ Perintah"
Me.GroupBox4.BackColor = Color.FromArgb(&HFF, &HC0, &HC0)
Me.GroupBox4.Controls.Add(Me.TextBox8)
Me.GroupBox4.Controls.Add(Me.TextBox6)
Me.GroupBox4.Controls.Add(Me.Label6)
Me.GroupBox4.Controls.Add(Me.TextBox7)
Me.GroupBox4.Controls.Add(Me.Label7)
Me.GroupBox4.Controls.Add(Me.Label8)
Me.GroupBox4.Controls.Add(Me.TextBox9)
Me.GroupBox4.Controls.Add(Me.Label9)
VB$t_struct$S0 = New Point(&H149, &H103)
Me.GroupBox4.Location = VB$t_struct$S0
Me.GroupBox4.Name = "GroupBox4"
VB$t_struct$S1 = New Size(&HF3, &H66)
Me.GroupBox4.Size = VB$t_struct$S1
Me.GroupBox4.TabIndex = &H34
Me.GroupBox4.TabStop = False
Me.GroupBox4.Text = "Data"
Me.GroupBox5.BackColor = Color.DarkSalmon
Me.GroupBox5.Controls.Add(Me.TextBox12)
Me.GroupBox5.Controls.Add(Me.Label12)
VB$t_struct$S0 = New Point(&H149, &H8A)
Me.GroupBox5.Location = VB$t_struct$S0
Me.GroupBox5.Name = "GroupBox5"
VB$t_struct$S1 = New Size(&HF3, &H60)
Me.GroupBox5.Size = VB$t_struct$S1
Me.GroupBox5.TabIndex = &H35
Me.GroupBox5.TabStop = False
```

```
Me.GroupBox5.Text = "Outbox"
Me.GroupBox6.BackColor = Color.FromArgb(&HE0, &HE0, &HE0)
Me.GroupBox6.Controls.Add(Me.TextBox15)
Me.GroupBox6.Controls.Add(Me.TextBox11)
Me.GroupBox6.Controls.Add(Me.Label11)
Me.GroupBox6.Controls.Add(Me.TextBox13)
Me.GroupBox6.Controls.Add(Me.Label16)
Me.GroupBox6.Controls.Add(Me.TextBox14)
Me.GroupBox6.Controls.Add(Me.Label17)
Me.GroupBox6.Controls.Add(Me.Label13)
Me.GroupBox6.Controls.Add(Me.Label18)
Me.GroupBox6.Controls.Add(Me.TextBox16)
VB$t_struct$S0 = New Point(&H149, 4)
Me.GroupBox6.Location = VB$t_struct$S0
Me.GroupBox6.Name = "GroupBox6"
VB$t_struct$S1 = New Size(&HF3, &H6F)
Me.GroupBox6.Size = VB$t_struct$S1
Me.GroupBox6.TabIndex = &H36
Me.GroupBox6.TabStop = False
Me.GroupBox6.Text = "AutoSave"
Me.Label26.AutoSize = True
Me.Label26.Font = New Font("Goudy Stout", 12!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(&H97, &H73)
Me.Label26.Location = VB$t_struct$S0
Me.Label26.Name = "Label26"
VB$t_struct$S1 = New Size(&H1F, &H16)
Me.Label26.Size = VB$t_struct$S1
Me.Label26.TabIndex = &H37
Me.Label26.Text = "V"
Me.Label27.AutoSize = True
Me.Label27.Font = New Font("Goudy Stout", 12!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(&H97, &HE8)
Me.Label27.Location = VB$t_struct$S0
Me.Label27.Name = "Label27"
VB$t_struct$S1 = New Size(&H1F, &H16)
Me.Label27.Size = VB$t_struct$S1
Me.Label27.TabIndex = &H38
Me.Label27.Text = "V"
Me.Label28.AutoSize = True
Me.Label28.Font = New Font("Goudy Stout", 12!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(290, &H127)
Me.Label28.Location = VB$t_struct$S0
Me.Label28.Name = "Label28"
VB$t_struct$S1 = New Size(&H18, &H16)
Me.Label28.Size = VB$t_struct$S1
Me.Label28.TabIndex = &H39
Me.Label28.Text = ">"
Me.Label30.AutoSize = True
Me.Label30.Font = New Font("Goudy Stout", 12!, FontStyle.Bold, GraphicsUnit.Point, 0)
VB$t_struct$S0 = New Point(&H1B5, &HED)
Me.Label30.Location = VB$t_struct$S0
Me.Label30.Name = "Label30"
VB$t_struct$S1 = New Size(20, &H16)
Me.Label30.Size = VB$t_struct$S1
Me.Label30.TabIndex = &H3B
Me.Label30.Text = "^"
VB$t_struct$S0 = New Point(&H111, 20)
Me.TextBox23.Location = VB$t_struct$S0
Me.TextBox23.Name = "TextBox23"
VB$t_struct$S1 = New Size(&H2F, 20)
```

```
Me.TextBox23.Size = VB$t_struct$S1
Me.TextBox23.TabIndex = 60
VB$t_struct$S0 = New Point(&H111, &H2B)
Me.TextBox24.Location = VB$t_struct$S0
Me.TextBox24.Name = "TextBox24"
VB$t_struct$S1 = New Size(&H2F, 20)
Me.TextBox24.Size = VB$t_struct$S1
Me.TextBox24.TabIndex = &H3D
VB$t_struct$S0 = New Point(&H111, &H43)
Me.TextBox25.Location = VB$t_struct$S0
Me.TextBox25.Name = "TextBox25"
VB$t_struct$S1 = New Size(&H2F, 20)
Me.TextBox25.Size = VB$t_struct$S1
Me.TextBox25.TabIndex = &H3E
VB$t_struct$S0 = New Point(&H111, 90)
Me.TextBox26.Location = VB$t_struct$S0
Me.TextBox26.Name = "TextBox26"
VB$t_struct$S1 = New Size(&H2F, 20)
Me.TextBox26.Size = VB$t_struct$S1
Me.TextBox26.TabIndex = &H3F
Me.Label29.AutoSize = True
VB$t_struct$S0 = New Point(&H113, 4)
Me.Label29.Location = VB$t_struct$S0
Me.Label29.Name = "Label29"
VB$t_struct$S1 = New Size(50, 13)
Me.Label29.Size = VB$t_struct$S1
Me.Label29.TabIndex = &H40
Me.Label29.Text = "Kode RS"
Dim VB$t_struct$S2 As New SizeF(6!, 13!)
Me.AutoScaleDimensions = VB$t_struct$S2
Me.AutoScaleMode = AutoScaleMode.Font
VB$t_struct$S1 = New Size(&H74, &H16)
Me.ClientSize = VB$t_struct$S1
Me.ControlBox = False
Me.Controls.Add(Me.Label29)
Me.Controls.Add(Me.TextBox26)
Me.Controls.Add(Me.TextBox25)
Me.Controls.Add(Me.TextBox24)
Me.Controls.Add(Me.TextBox23)
Me.Controls.Add(Me.Label30)
Me.Controls.Add(Me.Label28)
Me.Controls.Add(Me.Label27)
Me.Controls.Add(Me.Label26)
Me.Controls.Add(Me.GroupBox6)
Me.Controls.Add(Me.GroupBox5)
Me.Controls.Add(Me.GroupBox4)
Me.Controls.Add(Me.GroupBox3)
Me.Controls.Add(Me.GroupBox2)
Me.Controls.Add(Me.GroupBox1)
Me.Controls.Add(Me.CheckBox1)
Me.Controls.Add(Me.Label10)
Me.Name = "Form1"
Me.Opacity = 0
Me.ShowIcon = False
Me.ShowInTaskbar = False
Me.GroupBox1.ResumeLayout(False)
Me.GroupBox1.PerformLayout
Me.GroupBox2.ResumeLayout(False)
Me.GroupBox2.PerformLayout
Me.GroupBox3.ResumeLayout(False)
```

```
    Me.GroupBox3.PerformLayout
    Me.GroupBox4.ResumeLayout(False)
    Me.GroupBox4.PerformLayout
    Me.GroupBox5.ResumeLayout(False)
    Me.GroupBox5.PerformLayout
    Me.GroupBox6.ResumeLayout(False)
    Me.GroupBox6.PerformLayout
    Me.ResumeLayout(False)
    Me.PerformLayout
End Sub
```